

### **Amendments to the Title**

Please replace the Title with the following:

"SYSTEM WITH GRAPHICAL USER INTERFACE INCLUDING AUTOMATIC ENCLOSURES"

### **Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

### **Listing of the Claims:**

1. (Currently Amended) An apparatus for finding objects in a computer data processing system including a display ~~and a pointing device with which a user drags a pointer on the display~~, comprising:

an input that receives an input signal from an input device to indicate an ~~drag~~ operation to move a selected object,

memory that stores a plurality of objects including enclosures in the memory, wherein enclosures comprise objects which may enclose other objects,

window opening logic, coupled with the display, that draws windows on the display corresponding to opened enclosures, wherein a window for an opened enclosure includes identifiers within the window corresponding to objects enclosed by the opened enclosure; and

temporary window logic, coupled to the display and the ~~pointing input~~ device, that opens a temporary window for ~~the~~ a particular enclosure within the

opened enclosure to display identifiers within the temporary window corresponding to objects enclosed by the particular enclosure, in response to a drag movement ~~during the drag operation~~ of the ~~pointer~~ selected object over an identifier corresponding to the particular enclosure.

2. (Currently Amended) The apparatus of claim 1, further including:

logic coupled to the temporary window logic and to the ~~pointing input~~ device that closes the temporary window, in response to a drag movement during the ~~drag~~ operation of the ~~pointer~~ selected object outside the temporary window.

3. (Currently Amended) The apparatus of claim 1, further including:

logic that places a particular object into the particular enclosure, in response to an drag operation to move the particular object beginning from a position of a selected identifier corresponding to the particular object to another position within a temporary window.

4. (Currently Amended) The apparatus of claim 1, wherein the temporary window logic draws the temporary window on the display over the ~~pointer~~ selected object.

5. (Original) The apparatus of claim 1, wherein the temporary window logic draws the temporary window on the display over the identifier corresponding to the particular enclosure.

6. (Currently Amended) The apparatus of claim 1, wherein the temporary window logic draws the temporary window in the display centered over the selected object.

7. (Original) The apparatus of claim 1, wherein the temporary window logic includes:

logic that determines whether the display includes an existing window for the particular enclosure during the drag operation to open a temporary window, and if so, then removes the existing window from the display.

8. (Currently Amended) The apparatus of claim 1, wherein the temporary window logic includes:

logic that determines whether the display includes an existing window for the particular enclosure during the ~~drag~~ operation to open a temporary window, and if so, then removes the existing window from the display; and

logic that draws the temporary window on the display over the identifier corresponding to the particular enclosure.

9. (Original) The apparatus of claim 8, wherein the temporary window logic further includes:

a routing that graphically indicates on the display a zoom of the existing window to the temporary window.

10. (Currently Amended) The apparatus of claim 8, further including:

logic, coupled to the temporary window logic and the pointing input device that closes the temporary window , and redraws the existing window on the display, in response to a drag movement of the pointer selected object outside the temporary window ~~during a drag operation~~.

11. (Currently Amended) The apparatus of claim 1, wherein the temporary window logic includes:

logic, coupled to the display and the pointing input device that enables a temporary window selector responsive to additional user input to cause the temporary window to be opened, in response to a drag movement of the selected object during a drag operation of the pointer over an icon corresponding to a particular enclosure.

12. (Currently Amended) The apparatus of claim 11, wherein the temporary window selector includes a selector graphic over the identifier for the particular enclosure having a first side and a second side, and the additional user input

includes ~~drag~~ movement of the ~~pointer~~ selected object to the first side to open the temporary window.

13. (Currently Amended) The apparatus of claim 1, wherein identifiers for enclosures include a temporary window region and the temporary window logic includes:

logic, coupled to the display and the ~~pointing~~ input device that causes the temporary window to be opened, in response to a ~~drag during a drag operation~~ movement of the ~~pointer~~ selected object over the temporary window region of an identifier corresponding to a particular enclosure.

14. (Currently Amended) The apparatus of claim 1, wherein the temporary window logic includes:

logic that opens additional temporary windows as current temporary windows in response to a ~~drag during the drag operation of the pointer~~ movement of the selected object over an identifier within current temporary windows.

15. (Currently Amended) The apparatus of claim 14, further including: logic, coupled to the temporary window logic and to the ~~pointing~~ input device that closes the additional temporary windows except for the current temporary

window, in response to termination of the ~~drag~~ operation with the ~~pointer~~ selected object inside the current temporary window.

16. (Currently Amended) The apparatus of claim 14, further including:

logic, coupled to the temporary window logic and to the ~~pointing~~ input device, that after termination of ,the ~~drag~~ operation closes a particular temporary window opened during the ~~drag~~ operation in response to movement of the ~~pointer~~ selected object out of the particular temporary window.

17. (Currently Amended) The apparatus of claim 14, further including:

logic, coupled to the temporary window logic and to the ~~pointing~~ input device, that after termination of the ~~drag~~ operation closes temporary windows opened during the ~~drag~~ operation in response to movement of the ~~pointer~~ selected object out of the temporary windows, except for particular temporary windows selected by user input before movement of the ~~pointer~~ selected object out of the temporary windows.

18. (Currently Amended) An apparatus for finding objects within a hierarchy of enclosures in a ~~computer~~ data processing system including a display ~~and a pointing device with which a user drags a pointer on the display~~, comprising:

memory to store a plurality of objects including at least one hierarchy of enclosures in the memory, wherein enclosures comprise objects which may enclose other objects;

window opening logic, coupled with the display, that draws windows on the display corresponding to opened enclosures, wherein a window for an opened enclosure includes identifiers within the window corresponding to objects enclosed by the opened enclosure;

an input to receive an input signal from an input device to indicate an ~~drag~~ operation to move a selected object;

temporary window opening logic, coupled to the display and the ~~pointing~~ input device that opens a current temporary window for a particular enclosure within the opened enclosure to display identifiers within the current temporary window corresponding to objects enclosed by the particular enclosure, in response to a ~~drag during a drag operation of the pointer~~ movement of the selected object over an identifier corresponding to the particular enclosure, including logic that maintains a hierarchy of opened temporary windows and the current temporary window; and

temporary window closing logic, coupled to the temporary window opening logic and the ~~pointing~~ input device, that closes the current temporary window in response to a ~~drag during the drag operation of the pointer~~ movement of the selected object outside the current temporary window.

19. (Currently Amended) The apparatus of claim 18, wherein the temporary window closing logic includes logic that closes temporary windows in the hierarchy except the current temporary window, in response to an an drag operation that ends in the current temporary window.

20. (Currently Amended) The apparatus of claim 18, wherein the temporary window closing logic includes logic that after termination of the ~~drag~~ operation closes a particular temporary window opened during the ~~drag~~ operation in response to movement of the ~~pointer~~ selected object out of the particular temporary window.

21. (Currently Amended) The apparatus of claim 18, wherein the temporary window closing logic includes logic that after termination of the ~~drag~~ operation closes temporary windows opened during the ~~drag~~ operation in response to movement of the ~~pointer~~ selected out of the temporary windows, except for particular temporary windows selected by user input before movement of the ~~pointer~~ selected object out of the temporary windows.

22. (Currently Amended) The apparatus of claim 18, further including: logic that places a particular object into the particular enclosure, in response to an an drag operation beginning from a position of a selected identifier corresponding to the particular object to another position within the current temporary window.



23. (Currently Amended) The apparatus of claim 18, wherein the temporary window opening logic draws the current temporary window on the display over the ~~pointer~~ selected object.

24. (Original) The apparatus of claim 18, wherein the temporary window opening logic draws the current temporary window on the display over the identifier corresponding to the particular enclosure.

25. (Currently Amended) The apparatus of claim 18, wherein the temporary window opening logic draws the current temporary window on the display centered over the ~~pointer~~ selected object.

26. (Currently Amended) The apparatus of claim 18, wherein the temporary window opening logic includes:

logic that determines whether the display includes an existing window for the particular enclosure during the ~~drag~~ operation to open a current temporary window, and if so, then removes the existing window from the display.

27. (Currently Amended) The apparatus of claim 18, wherein the temporary window opening logic includes:

logic that determines whether the display includes an existing window for the particular enclosure during the ~~drag~~ operation to open a current temporary window, and if so, then removes the existing window from the display; and

logic that draws the current temporary window on the display over the identifier corresponding to the particular enclosure.

28. (Original) The apparatus of claim 27, wherein the temporary window opening logic further includes:

logic that graphically indicates on the display a zoom of the existing window to the current temporary window.

29. (Original) The apparatus of claim 27, further including:

logic that redraws the existing window on the display when the temporary window in the hierarchy corresponding to the existing window is closed.

30. (Currently Amended) The apparatus of claim 18, wherein the temporary window opening logic includes:

logic, coupled to the display and the ~~pointing~~ input device, that enables a temporary window selector responsive to additional user input to close the current temporary window to be opened, in response to a ~~drag during a drag~~

~~operation of the pointer~~ movement of the selected object over an identifier corresponding to a particular enclosure.

31. (Currently Amended) The apparatus of claim 30, wherein the temporary window selector includes a selector graphic over the identifier for the particular enclosure having a first side and a second side, and the additional user input includes ~~drag of the pointer~~ a movement of the selected object to the first side to open the current temporary window.

32. (Currently Amended) The apparatus of claim 18, wherein identifiers for enclosures include a temporary window region and the temporary window opening logic includes: logic, coupled to the display and the pointing input device, that causes the current temporary window to be opened in response to a ~~drag during a drag operation of the pointer~~ movement of the selected object over the temporary window region of an identifier corresponding to a particular enclosure.

33. (Currently Amended) An apparatus for copying or moving objects within a hierarchy of enclosures in a ~~computer~~ data processing system including a display and ~~pointing device with which a user drags a pointer on the display,~~ comprising:

window opening logic, coupled with the display, that draws windows on the display corresponding to opened enclosures, wherein a window for an opened enclosure includes identifiers within the window corresponding to objects enclosed by the opened enclosure;

an input that receives an input signal to indicate an an drag operation to move a selected object;

temporary window opening logic, coupled to the display and the pointing device, that opens a current temporary window for a particular enclosure within the opened enclosure to display identifiers within the current temporary window corresponding to objects enclosed by the particular enclosure, in response to a ~~drag during a drag operation of the pointer~~ movement of the selected object over an identifier corresponding to the particular enclosure, including logic that maintains a hierarchy of opened temporary windows and the current temporary window;

temporary window closing logic, coupled to the temporary window opening logic and the ~~pointing input~~ device, that closes the current temporary window in response to a ~~drag during the drag operation of the pointer~~ movement of the selected object outside the current temporary window; and

object placing logic that places a particular object into the particular enclosure of the current temporary window in response to an an drag operation beginning from a position of ~~a selected identifier corresponding to the particular~~

~~object~~ the selected object to another position within the current temporary window.

34. (Currently Amended) The apparatus of claim 33, wherein the temporary window closing logic includes logic that closes temporary windows in the hierarchy except the current temporary window, in response to an ~~drag~~ operation that ends in the current temporary window.

35. (Currently Amended) The apparatus of claim 33, wherein the temporary window closing logic includes logic that after termination of the ~~drag~~ operation closes a particular temporary window in the hierarchy opened during the ~~drag~~ operation in response to movement of the ~~pointer~~ selected object out of the particular temporary window.

36. (Currently Amended) The apparatus of claim 33, wherein the temporary window closing logic includes logic that after termination of the ~~drag~~ operation closes temporary windows in the hierarchy opened during the ~~drag~~ operation in response to movement of the ~~pointer-out~~ selected object of the temporary windows, except for particular temporary windows selected by user input before movement of the ~~pointer-out~~ selected object of the temporary windows.

37. (Currently Amended) The apparatus of claim 33, wherein the temporary window opening logic draws the current temporary window on the display over the ~~pointer~~ selected object.

38. (Original) The apparatus of claim 33, wherein the temporary window opening logic draws the current temporary window on the display over the identifier corresponding to the particular enclosure.

39. (Currently Amended) The apparatus of claim 33, wherein the temporary window opening logic draws the current temporary window on the display centered over the ~~pointer~~ selected object.

40. (Currently Amended) The apparatus of claim 33, wherein the temporary window opening logic includes:

logic that determines whether the display includes an existing window for the particular enclosure during the ~~drag~~ operation to open a current temporary window, and if so, then removes the existing window from the display.

41. (Currently Amended) The apparatus of claim 33, wherein the temporary window opening logic includes:

logic that determines whether the display includes an existing window opened by the window opening logic for the particular enclosure during the

~~drag~~ operation to open a current temporary window, and if so, then removes the existing window from the display; and

logic that draws the current temporary window on the display over the identifier corresponding to the particular enclosure.

42. (Original) The apparatus of claim 41, wherein the temporary window opening logic further includes:

logic that graphically indicates on the display a zoom of the existing window to the current temporary window.

43. (Original) The apparatus of claim 41, further including: logic that redraws the existing window on the display when the temporary window in the hierarchy corresponding to the existing window is closed.

44. (Currently Amended) The apparatus of claim 33, wherein the temporary window opening logic includes:

logic, coupled to the display and the pointing input device, that enables a temporary window selector responsive to additional user input to cause the current temporary window to be opened, in response to a ~~drag during a drag operation of the pointer over~~ movement of the selected object over an identifier corresponding to a particular enclosure.

45. (Currently Amended) The apparatus of claim 44, wherein the temporary window selector includes a selector graphic over the identifier for the particular enclosure having a first side and a second side, and the additional user input includes ~~drag of the pointer~~ movement of the selected object to the first side to open the current temporary window.

46. (Currently Amended) The apparatus of claim 33, wherein identifiers for enclosures include a temporary window region and temporary window opening logic includes:

logic, coupled to the display and the pointing input device, that causes the current temporary window to be opened in response to a ~~drag during a drag operation of the pointer~~ movement of the selected object over the temporary window region of an identifier corresponding to a particular enclosure.